


and bubbled through the second solution 240 picking up the second precursor and carrying it into chamber 110 through line 245 and gas distributor 146. Additional inert carrier gas or reaction gas may be supplied from source 248 as needed to provide the desired concentration of precursor composition and regulate the uniformity of the deposition across the surface of substrate 116. As shown, a series of valves 250-253 and 154 are opened and closed as required.--

In the claims:

Please cancel claims 1-28.

Please add the following new claims:

33. (New) The apparatus of claim 29, wherein the ionic liquid is of the formula:




wherein R₁ is alkyl and Y⁻ is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, [SbF₆]⁻, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

34. (New) The apparatus of claim 29, wherein the ionic liquid is of the formula:




wherein R₁ and R₂ are alkyls and Y⁻ is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, [SbF₆]⁻, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

35. (New) The apparatus of claim 29, wherein the ionic liquid satisfies the formula:




wherein R₁, R₂, R₃, R₄ are alkyls and Y⁻ is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, [SbF₆]⁻, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

36. (New) The apparatus of claim 29, wherein the ionic liquid satisfies the formula:




wherein R₁, R₂, and R₃ are alkyls and Y⁻ is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, [SbF₆]⁻, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

37. (New) The apparatus of claim 29, wherein the ionic liquid satisfies the formula:




wherein n is from about 1 to about 10 and Y⁻ is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, [SbF₆]⁻, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

38. (New) The apparatus of claim 29, wherein the ionic liquid satisfies the formula:




wherein R_1 , R_2 , R_3 , R_4 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

39. (New) The apparatus of claim 30, wherein the ionic liquid is of the formula:




wherein R_1 is alkyl and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

40. (New) The apparatus of claim 30, wherein the ionic liquid is of the formula:




wherein R_1 and R_2 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

41. (New) The apparatus of claim 30, wherein the ionic liquid satisfies the formula:




wherein R_1 , R_2 , R_3 , R_4 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

42. (New) The apparatus of claim 30, wherein the ionic liquid satisfies the formula:




wherein R_1 , R_2 , and R_3 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

43. (New) The apparatus of claim 30, wherein the ionic liquid satisfies the formula:




wherein n is from about 1 to about 10 and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

44. (New) The apparatus of claim 30, wherein the ionic liquid satisfies the formula:




wherein R₁, R₂, R₃, R₄ are alkyls and Y⁻ is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, [SbF₆]⁻, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

45. (New) The apparatus of claim 31, wherein the ionic liquid is of the formula:




wherein R₁ is alkyl and Y⁻ is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, [SbF₆]⁻, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

46. (New) The apparatus of claim 31, wherein the ionic liquid is of the formula:




wherein R₁ and R₂ are alkyls and Y⁻ is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, [SbF₆]⁻, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

47. (New) The apparatus of claim 31, wherein the ionic liquid satisfies the formula:




wherein R_1 , R_2 , R_3 , R_4 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

48. (New) The apparatus of claim 31, wherein the ionic liquid satisfies the formula:




wherein R_1 , R_2 , and R_3 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

49. (New) The apparatus of claim 31, wherein the ionic liquid satisfies the formula:




wherein n is from about 1 to about 10 and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

50. (New) The apparatus of claim 31, wherein the ionic liquid satisfies the formula:



wherein R_1 , R_2 , R_3 , R_4 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

51. (New) The apparatus of claim 32, wherein the ionic liquid is of the formula:




wherein R_1 is alkyl and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

52. (New) The apparatus of claim 32, wherein the ionic liquid is of the formula:




wherein R_1 and R_2 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

53. (New) The apparatus of claim 32, wherein the ionic liquid satisfies the formula:




wherein R_1 , R_2 , R_3 , R_4 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

54. (New) The apparatus of claim 32, wherein the ionic liquid satisfies the formula:



wherein R_1 , R_2 , and R_3 are alkyls and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.

55. (New) The apparatus of claim 32, wherein the ionic liquid satisfies the formula:



wherein n is from about 1 to about 10 and Y^- is selected from a group consisting essentially of halides, sulfates, nitrates, acetates, nitrites, tetrafluoroborates, tetrachloroborates, hexafluorophosphates, $[\text{SbF}_6]^-$, chloroaluminates, bromoaluminates, chlorocuprates, heteropolyanions, trifluoromethanesulfonates, and mixtures thereof.